

DATE \_\_\_\_\_ TRACKING SHEET \_\_\_\_\_ DIFFRACTOMETER D8 A25 D8

APPLICANT		IDAEA	EXTERNAL
NAME AND SURNAME		E-MAIL	
ORGANISATION/COMPANY NAME		PHONE NUMBER	NIF (COMPANY)
ADDRESS			
MAIN RESEARCHER		PROJECT	

THE APPLICANT SHALL BE RESPONSIBLE FOR HIS/HER SAMPLES AND ANY POSSIBLE DETERIORATION OR CONTAMINATION OF THE LABORATORY MATERIALS DURING ANALYSIS, COVERING ANY COST DERIVED

SAMPLES				
# SAMPLES	ANALYTICAL SERVICE REF	SAMPLE RECOVERED?	YES	NO
1. ....	<input type="text"/>	8. ....	<input type="text"/>	<input type="text"/>
2. ....	<input type="text"/>	9. ....	<input type="text"/>	<input type="text"/>
3. ....	<input type="text"/>	10. ....	<input type="text"/>	<input type="text"/>
4. ....	<input type="text"/>	11. ....	<input type="text"/>	<input type="text"/>
5. ....	<input type="text"/>	12. ....	<input type="text"/>	<input type="text"/>
6. ....	<input type="text"/>	13. ....	<input type="text"/>	<input type="text"/>
7. ....	<input type="text"/>	14. ....	<input type="text"/>	<input type="text"/>

NATURE OF THE SAMPLE AND, IF NECESSARY, PRECAUTIONS FOR ITS USE (TOXICITY, GLOVES, MASK, ETC.).

ANALYTICAL CONDITIONS (SELECT YOUR OPTION)				
ANALYSIS TYPE	CONDITIONS	SAMPLE HOLDER		
QUALITATIVE: PHASES IDENTIFICATION	4-60° / 0.03 PAS/ 0.1s	LOW BACKGROUND	STANDARD	OTHER
RIETVELD: QUANTITATIVE ANALYSIS	4-120° / 0.015 PAS/0.5s			
OTHERS				

**DIFFRACTOGRAM INTERPRETATION**

PHASES:

ELEMENTS:

RESULTS	DELIVERY DATE OF RESULTS
<input type="checkbox"/> PDF FILE WITH PHASES IDENTIFIED <input type="checkbox"/> UXD FILE (.TXT) <input type="checkbox"/> SEMI-QUANTITATIVE ANALYSIS <input type="checkbox"/> QUANTITATIVE ANALYSIS (RIETVELD) <input type="checkbox"/> REPORT	_____

**OBSERVATIONS/INCIDENTS**

\_\_\_\_\_

NOTES: 1. POWDER SAMPLES MUST BE HOMOGENEOUSLY AND FINELY GROUND  
 2. ANY CHANGES IN THE APPLICATION MUST BE APPROVED BY THE TECHNICAL RESPONSIBLE.  
 3 THE TIME OF STORAGE OF SAMPLES IS 3 MONTHS AND OF THIS APPLICATION FORM IS 5 YEARS.

V4-19/02/2014

APPLICANT'S SIGNATURE

SAMPLE RECEIVED